

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	40	((gain or active) with (((multi near2 mode) or multimode) near3 fiber) with dop\$4) and (clad\$4 with pump\$4)	US-PGPUB; USPAT; USOCR	AND	ON	2005/10/18 14:11
L2	2	((gain or active) with (((multi near2 mode) or multimode) near3 fiber) with dop\$4) and (clad\$4 with pump\$4)	EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/18 14:20
L3	3	(((multi near2 mode) or multimode) near3 fiber) with dop\$4) and (clad\$4 with pump\$4)	EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/18 18:07
L4	1	(((multi near2 mode) or multimode) near2 fiber) with dop\$4) and (clad\$4 with pump\$4)	EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/18 14:20
L5	126	(((multi near2 mode) or multimode) near3 fiber) with dop\$4) and (clad\$4 with pump\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/18 14:29
L6	106	(((multi near2 mode) or multimode) near2 fiber) with dop\$4) and (clad\$4 with pump\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/18 14:20
L7	42	((gain or active) with (((multi near2 mode) or multimode) near3 fiber) with dop\$4) and (clad\$4 with pump\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/18 14:20
L8	3	("2001/0024458").URPN.	USPAT	AND	ON	2005/10/18 14:22
L9	38	(((multi near2 mode) or multimode) near3 fiber) with dop\$4 with clad\$4 with pump\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/18 17:11
L10	60	(((multi near2 mode) or multimode) near3 fiber) with dop\$4 same (clad\$4 with pump\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/18 14:30
L11	0	("2005/0185260").URPN.	USPAT	AND	ON	2005/10/18 14:37
L12	26	("5323404"   "5430572"   "5485481"   "5668821"   "5673280"   "5715263"   "5900969"   "5933270"   "6011645"   "6034812").PN. OR ("6236498").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/10/18 15:45
L13	1	(((multi near2 mode) or multimode) near1 fiber near2 dop\$4) with (clad\$4 near2 pump\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/18 17:13
L14	1	(((multi near2 mode) or multimode) near1 fiber near2 dop\$4) with (clad\$4 near4 pump\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/18 17:13
L15	3	(((multi near2 mode) or multimode) near2 fiber near2 dop\$4) with (clad\$4 near4 pump\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/18 17:21

L16	11	(((multi near2 mode) or multimode) near2 fiber near2 dop\$4) SAME (clad\$4 near4 pump\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/18 17:22
L17	33	(((multi near2 mode) or multimode) near2 fiber near2 dop\$4) AND (clad\$4 near4 pump\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/18 17:30
L18	6	(((multi near2 mode) or multimode) near2 fiber near2 dop\$4) AND (clad\$4 near4 pump\$4)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/18 17:34
L19	5	((bent or lie or curve or curvilinear or arc\$2 or arch\$2 or arciform or arrondi or bow\$2 or round\$2 or curvature or curvation) near2 ((multi near2 mode) or multimode) near2 fiber) and (fundamental near2 mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/18 17:45
L20	1	((bent or lie or curve or curvilinear or arc\$2 or arch\$2 or arciform or arrondi or bow\$2 or round\$2 or curvature or curvation) near2 ((multi near2 mode) or multimode) near2 fiber) and (fundamental near2 mode) and cavity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/18 17:44
L21	7	((bent or lie or curve or curvilinear or arc\$2 or arch\$2 or arciform or arrondi or bow\$2 or round\$2 or curvature or curvation or twist\$3) near2 ((multi near2 mode) or multimode) near2 fiber) and (fundamental near2 mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/18 17:47
L22	0	21 and pulse and cavity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/18 17:46
L23	3	21 and cavity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/18 17:46
L24	29	((bent or lie or curve or curvilinear or arc\$2 or arch\$2 or arciform or arrondi or bow\$2 or round\$2 or curvature or curvation or twist\$3) near2 ((multi near2 mode) or multimode) near2 fiber) and ((fundamental near2 mode) or monomode or (single near2 mode) or singlemode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/18 17:58
L25	11	((bent or lie or curve or curvilinear or arc\$2 or arch\$2 or arciform or arrondi or bow\$2 or round\$2 or curvature or curvation or twist\$3) near2 ((multi near2 mode) or multimode) near2 fiber) and ((fundamental near2 mode) or monomode or (single near2 mode) or singlemode) and cavity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/18 17:54
L26	17	((bent or lie or curve or curvilinear or arc\$2 or arch\$2 or arciform or arrondi or bow\$2 or round\$2 or curvature or curvation or twist\$3) near2 ((multi near2 mode) or multimode) near2 fiber) and ((fundamental near2 mode) or monomode or (single near2 mode) or singlemode) .clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/18 17:54

L27	25	((bent or lie or curve or curvilinear or arc\$2 or arch\$2 or arciform or arrondi or bow\$2or curvature or curvation or twist\$3) near2 ((multi near2 mode) or multimode) near2 fiber) and ((fundamental near2 mode) or monomode or (single near2 mode) or singlemode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/18 18:05
L28	2	("4,746,180").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/18 18:01
L29	14	((bent or lie or curve or curvilinear or arc\$2 or arch\$2 or arciform or arrondi or bow\$2or curvature or curvation or twist\$3) near2 ((multi near2 mode) or multimode) near2 fiber) and ((fundamental near2 mode) or monomode or (single near2 mode) or singlemode).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/18 18:05
L30	4	((bent or lie or curve or curvilinear or arc\$2 or arch\$2 or arciform or arrondi or bow\$2or curvature or curvation or twist\$3) near2 ((multi near2 mode) or multimode) near2 fiber) and ((fundamental near2 mode) or monomode or (single near2 mode) or singlemode) and amplif\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/18 18:07
L31	2	((bent or lie or curve or curvilinear or arc\$2 or arch\$2 or arciform or arrondi or bow\$2or curvature or curvation or twist\$3) near2 ((multi near2 mode) or multimode) near2 fiber) and ((fundamental near2 mode) or monomode or (single near2 mode) or singlemode) and amplif\$4 and cavity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/18 18:06
L32	1	((bent or lie or curve or curvilinear or arc\$2 or arch\$2 or arciform or arrondi or bow\$2or curvature or curvation or twist\$3) near2 ((multi near2 mode) or multimode) near2 fiber) and ((fundamental near2 mode) or monomode or (single near2 mode) or singlemode) and amplif\$4 and cavity.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/18 18:06
L33	1	((((multi near2 mode) or multimode) near3 fiber) with dop\$4) and (pump\$4 or diode or source) and taper\$3 and ((fundamental near2 mode) or monomode or (single near2 mode) or singlemode)	EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/18 18:09
L34	1	((((multi near2 mode) or multimode) near3 fiber) with dop\$4) and taper\$3 and ((fundamental near2 mode) or monomode or (single near2 mode) or singlemode)	EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/18 18:09
L35	81	((((multi near2 mode) or multimode) near3 fiber) with dop\$4) and taper\$3 and ((fundamental near2 mode) or monomode or (single near2 mode) or singlemode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/18 18:13
L37	73	((((multi near2 mode) or multimode) near3 fiber) with dop\$4) and (pump\$4 or diode or source) and taper\$3 and ((fundamental near2 mode) or monomode or (single near2 mode) or singlemode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/18 18:09
L38	13	(((((multi near2 mode) or multimode) near3 fiber) with dop\$4) same taper\$3 same ((fundamental near2 mode) or monomode or (single near2 mode) or singlemode)) and (pump\$4 or diode or source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/18 18:14
L39	4	(((((multi near2 mode) or multimode) near3 fiber) with dop\$4) with taper\$3 with ((fundamental near2 mode) or monomode or (single near2 mode) or singlemode)) and (pump\$4 or diode or source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/18 18:14

L40	31	("4161944"   "4179187"   "4212660"   "4705351"   "4886538"   "4901324"   "4941726"   "5119460"   "5166940"   "5265177"   "5422897"   "5455879"   "5530710"   "5659644"   "5710789"   "5774484"   "5864644"   "5940557").PN. OR ("6324326"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/10/18 18:11
L41	4	(((multi near2 mode) or multimode) near3 fiber) with dop\$4 with taper\$3 with ((fundamental near2 mode) or monomode or (single near2 mode) or singlemode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/18 18:14
L42	13	(((multi near2 mode) or multimode) near3 fiber) with dop\$4 same taper\$3 same ((fundamental near2 mode) or monomode or (single near2 mode) or singlemode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/18 18:14